




Bend pipes , Dark Grey , Single Solvent



Standard :ISO 1452-3

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal pressure (Bar)	angle (Degree)	RLC	D2	LC	L1
PG 44001 P	3.6	75	10	45	262.5	75.1	70	235

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal pressure (Bar)	angle (Degree)	RLC	D2	LC	L1
PG 44006 P	3.6	75	10	90	262.5	75.1	70	920
PG 44011 P	3.6	75	10	90	796	75.1	70	390
PG 44021 P	4.3	90	10	45	315	90.1	79	260
PG 44026 P	4.3	90	10	90	315	90.1	79	885
PG 44031 P	4.3	90	10	90	630	90.1	79	450
PG 44041 P	5.3	110	12.5	45	385	110.1	91	300
PG 44046 P	5.3	110	12.5	90	385	110.1	91	916.5
PG 44051 P	5.3	110	12.5	90	776	110.1	91	524
PG 44061 P	4.8	125	10	22.5	437.5	125.1	100	228
PG 44066 P	4.8	125	10	45	437.5	125.1	100	325
PG 44071 P	4.8	125	10	90	437.5	125.1	100	915
PG 44106 P	6.2	160	10	45	560	160.2	121	377
PG 44111 P	6.2	160	10	90	560	160.2	121	904.5

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal pressure (Bar)	angle (Degree)	RLC	D2	LC	L1
PG 44116 P	6.2	160	10	90	720	160.2	121	720

PG