

Non-Pressure Underground Drainage And Sewerage ,Grey , Double Socket ,piece,Push Fit



Standard :EN 1401-1

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Lenght (cm)	Application Area Code	Ring Stiffness
PG 42146 P	3.2	110	30	UD	SN4,8
PG 43146 P	3.2	110	50	UD	SN4,8
PG 1774 P	3.2	110	100	UD	SN4,8
PG 1834 P	3.2	110	200	UD	SN4,8
PG 1894 P	3.2	110	300	UD	SN4,8
PG 42152 P	4.2	110	30	UD	SN16
PG 43152 P	4.2	110	50	UD	SN16
PG 1779 P	4.2	110	100	UD	SN16
PG 1839 P	4.2	110	200	UD	SN16

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Lenght (cm)	Application Area Code	Ring Stiffness
PG 1899 P	4.2	110	300	UD	SN16
PG 42147 P	3.2	125	30	UD	SN4
PG 43147 P	3.2	125	50	UD	SN4
PG 2314 P	3.2	125	100	UD	SN4
PG 2374 P	3.2	125	200	UD	SN4
PG 2434 P	3.2	125	300	UD	SN4
PG 42148 P	3.7	125	30	UD	SN8
PG 43148 P	3.7	125	50	UD	SN8
PG 2315 P	3.7	125	100	UD	SN8
PG 2375 P	3.7	125	200	UD	SN8
PG 2435 P	3.7	125	300	UD	SN8
PG 42153 P	4.8	125	30	UD	SN16
PG 43153 P	4.8	125	50	UD	SN16
PG 2556 P	4.8	125	100	UD	SN16
PG 2616 P	4.8	125	200	UD	SN16
PG 2664 P	4.8	125	300	UD	SN16
PG 42149 P	3.2	160	30	U	SN2
PG 43149 P	3.2	160	50	U	SN2
PG 2981 P	3.2	160	100	U	SN2
PG 3056 P	3.2	160	200	U	SN2
PG 3131 P	3.2	160	300	U	SN2
PG 42150 P	4	160	30	UD	SN4
PG 43150 P	4	160	50	UD	SN4

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Lenght (cm)	Application Area Code	Ring Stiffness
PG 2982 P	4	160	100	UD	SN4
PG 3057 P	4	160	200	UD	SN4
PG 3132 P	4	160	300	UD	SN4
PG 42151 P	4.7	160	30	UD	SN8
PG 43151 P	4.7	160	50	UD	SN8
PG 2984 P	4.7	160	100	UD	SN8
PG 3059 P	4.7	160	200	UD	SN8
PG 3134 P	4.7	160	300	UD	SN8
PG 42119 P	6.2	160	30	UD	SN16
PG 43119 P	6.2	160	50	UD	SN16
PG 2990 P	6.2	160	100	UD	SN16
PG 3065 P	6.2	160	200	UD	SN16
PG 3140 P	6.2	160	300	UD	SN16
PG 3571 P	4	200	100	U	SN2
PG 3641 P	4	200	200	U	SN2
PG 3711 P	4	200	300	U	SN2
PG 3572 P	4.9	200	100	UD	SN4
PG 3642 P	4.9	200	200	UD	SN4
PG 3712 P	4.9	200	300	UD	SN4
PG 3574 P	5.9	200	100	UD	SN8
PG 3644 P	5.9	200	200	UD	SN8
PG 3714 P	5.9	200	300	UD	SN8
PG 3579 P	7.7	200	100	U	SN16

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Lenght (cm)	Application Area Code	Ring Stiffness
PG 3649 P	7.7	200	200	U	SN16
PG 3719 P	7.7	200	300	U	SN16
PG 4410 P	4.9	250	100	UD	SN2
PG 4485 P	4.9	250	200	UD	SN2
PG 4560 P	4.9	250	300	UD	SN2
PG 4411 P	6.2	250	100	UD	SN4
PG 4486 P	6.2	250	200	UD	SN4
PG 4561 P	6.2	250	300	UD	SN4
PG 4413 P	7.3	250	100	UD	SN8
PG 4488 P	7.3	250	200	UD	SN8
PG 4563 P	7.3	250	300	UD	SN8
PG 4418 P	9.6	250	100	UD	SN16
PG 4492 P	9.6	250	200	UD	SN16
PG 4568 P	9.6	250	300	UD	SN16
PG 5290 P	6.2	315	100	U	SN2
PG 5365 P	6.2	315	200	U	SN2
PG 5440 P	6.2	315	300	U	SN2
PG 5291 P	7.7	315	100	UD	SN4
PG 5366 P	7.7	315	200	UD	SN4
PG 5441 P	7.7	315	300	UD	SN4
PG 5292 P	9.2	315	100	UD	SN8
PG 5367 P	9.2	315	200	UD	SN8
PG 5442 P	9.2	315	300	UD	SN8

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Lenght (cm)	Application Area Code	Ring Stiffness
PG 5299 P	12.1	315	100	UD	SN16
PG 5374 P	12.1	315	200	UD	SN16
PG 5449 P	12.1	315	300	UD	SN16
PG 5845 P	7	355	100	U	SN2
PG 5895 P	7	355	200	U	SN2
PG 5945 P	7	355	300	U	SN2
PG 5846 P	8.7	355	100	UD	SN8
PG 5896 P	8.7	355	200	UD	SN4
PG 5946 P	8.7	355	300	UD	SN4
PG 5847 P	10.4	355	100	UD	SN8
PG 5897 P	10.4	355	200	UD	SN8
PG 5947 P	10.4	355	300	UD	SN8
PG 5854 P	13.6	355	100	UD	SN16
PG 5904 P	13.6	355	200	UD	SN16
PG 5954 P	13.6	355	300	UD	SN16
PG 6290 P	7.9	400	100	U	SN2
PG 6365 P	7.9	400	200	U	SN2
PG 6440 P	7.9	400	300	U	SN2
PG 6291 P	9.8	400	100	UD	SN4
PG 6366 P	9.8	400	200	UD	SN4
PG 6441 P	9.8	400	300	UD	SN4
PG 6293 P	11.7	400	100	UD	SN8
PG 6368 P	11.7	400	200	UD	SN8

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Lenght (cm)	Application Area Code	Ring Stiffness
PG 6443 P	11.7	400	300	UD	SN8
PG 6299 P	15.3	400	100	UD	SN16
PG 6374 P	15.3	400	200	UD	SN16
PG 6449 P	15.3	400	300	UD	SN16
PG 6893 P	11	450	100	UD	SN4
PG 6968 P	11	450	200	UD	SN4
PG 7043 P	11	450	300	UD	SN4
PG 6895 P	13.2	450	100	UD	SN8
PG 6970 P	13.2	450	200	UD	SN8
PG 7045 P	13.2	450	300	UD	SN8
PG 6898 P	17.2	450	100	UD	SN16
PG 6973 P	17.2	450	200	UD	SN16
PG 7048 P	17.2	450	300	UD	SN16
PG 7490 P	9.8	500	100	U	SN2
PG 7565 P	9.8	500	200	U	SN2
PG 7640 P	9.8	500	300	U	SN2
PG 7491 P	12.3	500	100	UD	SN4
PG 7566 P	12.3	500	200	UD	SN4
PG 7641 P	12.3	500	300	UD	SN4
PG 7493 P	14.6	500	100	UD	SN8
PG 7568 P	14.6	500	200	UD	SN8
PG 7643 P	14.6	500	300	UD	SN8
PG 7499 P	19.1	500	100	UD	SN16

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Lenght (cm)	Application Area Code	Ring Stiffness
PG 7574 P	19.1	500	200	UD	SN16
PG 7649 P	19.1	500	300	UD	SN16
PG 8090 P	12.3	630	100	U	SN2
PG 8165 P	12.3	630	200	U	SN2
PG 8240 P	12.3	630	300	U	SN2
PG 8091 F	15.4	630	100	UD	SN4
PG 8166 P	15.4	630	200	UD	SN4
PG 8241 P	15.4	630	300	UD	SN4
PG 8093 P	18.4	630	100	UD	SN8
PG 8168 P	18.4	630	200	UD	SN8
PG 8243 P	18.4	630	300	UD	SN8
PG 8097 P	24.1	630	100	UD	SN16
PG 8172 P	24.1	630	200	UD	SN16
PG 8247 P	24.1	630	300	UD	SN16